

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/611,418	06/30/2003	Dennis R. McKean	HSJ9-2003-0022US1	1933
	7590 10/17/200 N, COHN, FERRIS, GI	EXAMINER		
1400 PAGE MI	LL ROAD	GOFF II, JOHN L		
PALO ALTO, CA 94304-1124			· ART UNIT	PAPER NUMBER
			1791	
			MAIL DATE	DELIVERY MODE
			10/17/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Application No.	Applicant(s)			
Office Action Summary						
		10/611,418	MCKEAN ET AL.  Art Unit			
		Examiner				
	The MAILING DATE of this communication app	John L. Goff	he correspondence address			
Period fo						
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period we tree to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICAT 36(a). In no event, however, may a reply will apply and will expire SIX (6) MONTHS cause the application to become ABAND	TION. be timely filed from the mailing date of this communication. FONED (35 U.S.C. § 133).			
Status						
1)⊠	1) Responsive to communication(s) filed on <u>02 August 2007</u> .					
,	This action is <b>FINAL</b> . 2b) This action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	Claim(s) <u>1-39</u> is/are pending in the application.  4a) Of the above claim(s) <u>1-21,30 and 31</u> is/are Claim(s) is/are allowed.  Claim(s) <u>22-29 and 32-39</u> is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/o	e withdrawn from consideratio	n.			
Applicat	ion Papers					
10)⊠	The specification is objected to by the Examine The drawing(s) filed on 30 June 2003 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine	accepted or b) ☐ objected or b)	See 37 CFR 1.85(a). s objected to. See 37 CFR 1.121(d).			
<b>Priority</b>	under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachme		A) 🗔 Jakan dawa Siran	mary (PTO-413)			
2) Noti 3) Info	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	Paper No(s)/M	mary (P10-413) lail Date mal Patent Application			

#### **DETAILED ACTION**

1. This action is in response to the amendment filed on 8/2/07.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

### Claim Rejections - 35 USC § 102

3. Claims 22-27, 29, 32, 33, 37, and 39 are rejected under 35 U.S.C. 102(b) as being anticipated by Kurdi et al. (U.S. Patent 5,932,113).

Kurdi et al. disclose a method for forming a slider assembly comprising arranging a plurality of sliders each having a surface such that the surfaces are coplanar to each other and each free from encapsulant, placing the plurality of sliders on a laminate of a flexible tape and an adhesive such that slider surfaces contact the adhesive, dispensing a silicon-based encapsulant fluid in a manner effective to fill gaps or recesses between the sliders without contacting the coplanar slider surfaces, and subjecting the dispensed encapsulant fluid to conditions effective for the fluid to crosslink and/or polymerize and form a readily debondable solid encapsulant comprising a silicon-based polymer (Column 5, lines 33-67 and Column 6, lines 1-67 and Column 7, lines 1-12). Kurdi et al. disclose the solid encapsulants may be later removed such that the solid encapsulants taught by Kurdi et al. are considered readily debondable (Column 8, lines 33-35).

Application/Control Number: 10/611,418

Art Unit: 1733

Regarding claim 24, as the adhesive taught by Kurdi et al. is described as not effected by the encapsulant fluid the adhesive is considered resistant or impervious to solvation by the encapsulant fluid (Column 5, lines 39-45).

Regarding claims 25-27, Kurdi et al. teach the initial viscosity of the encapsulant fluid is as low as 100 centistokes (Column 7, lines 1-2).

Regarding claim 32, as there is no disclosure in Kurdi et al. that the solid encapsulant substantially outgases under vacuum, and the silicon-based polymer solid encapsulant is consistent and in agreement with the solid encapsulant disclosed and claimed by applicants, the solid encapsulant taught by Kurdi et al. is considered to not substantially outgas under vacuum.

Regarding claim 33, Kurdi et al. teach the silicon-based encapsulant is an acrylate silicon which is polymerized after it is dispensed, i.e. *in situ*, wherein acrylic silicon encapsulants are considered polymerized from organosilicon prepolymers (Column 6, lines 30-60).

Regarding claim 37, Kurdi et al. teach the solid encapsulants are debonded by means of a solvent comprising NMP, i.e. N-methylpyrrolidinone (Column 8, lines 33-35).

Regarding claim 39, the plurality of sliders used as taught by Kurdi et al. are provided as free from encapsulants and during debonding the sliders are removed/freed from the encapsulant.

## Claim Rejections - 35 USC § 103

4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out

Art Unit: 1733

the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 22-29, 32-34, and 36-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kurdi et al. in view of Mandell (U.S. Patent 3,335,088) and Wong '275 (U.S. Patent 5,051,275).

Kurdi et al. is described above in full detail. Kurdi et al. do not teach the removable/debondable encapsulant is a silicon-based polymer having phenyl substituents. However, Kurdi et al. are not limited to any particular encapsulant and suggest a wide range of encapsulants may be used including acrylic encapsulants (Column 6, lines 42-60). It is well taken in the art of debondable encapsulants that acrylic and silicone elastomer based encapsulants are functionally equivalent as shown by Mandell (Column 1, lines 9-16 and Column 6, lines 6-18). Absent any unexpected results, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use as the debondable encapsulant in Kurdi et al. a silicon polymer based encapsulant which was well taken as functionally equivalent to acrylic polymer encapsulants as shown by Mandell. As to the silicone-based polymer having phenyl substituents, Wong '275 disclose a silicone elastomer encapsulant comprising polymethylphenylsiloxane (i.e. an encapsulant considered as comprising organosilicon prepolymers having phenyl substituents) having good durability, temperature, and humidity characteristics wherein the silicone-based polymer encapsulant is applied as a fluid including a solvent and during subsequent crosslinking and/or polymerization in situ at 120 °C the solvent is removed (Column 2, lines 3-24 and 58-69 and Column 3, lines 1-16 and Column 4, lines 3-23). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use as the silicone-based polymer encapsulant taught by Kurdi et al. as modified by Mandell the silicone-based polymer encapsulant fluid including a solvent taught by Wong '275 which has good durability, temperature, and humidity characteristics.

Regarding claim 24, as the adhesive taught by Kurdi et al. is described as not effected by the encapsulant fluid it would have been obvious to one of ordinary skill in the art at the time the invention was made to use as the adhesive in Kurdi et al. as modified by Mandell and Wong '275 one that is resistant or impervious to solvation by the encapsulant fluid.

Regarding claims 25-27, as Kurdi et al. teach the initial viscosity of the encapsulant fluid is as low as 100 centistokes it would have been obvious to one of ordinary skill in the art at the time the invention was made to formulate the encapsulant in Kurdi et al. as modified by Mandell and Wong '275 to have a viscosity of 100 centistokes.

Regarding claim 32, there is no disclosure in Kurdi et al. as modified by Mandell and Wong '275 that the solid encapsulant substantially outgases under vacuum, and the silicon-based polymer solid encapsulant is consistent and in agreement with the solid encapsulant disclosed and claimed by applicants, such that the solid encapsulant taught by Kurdi et al. as modified by Mandell and Wong '275 is considered to not substantially outgas under vacuum.

Regarding claim 37, Kurdi et al. disclose the solid encapsulants are debonded by means of a solvent comprising NMP, i.e. N-methylpyrrolidinone, such that it would have been obvious to one of ordinary skill in the art at the time the invention was made to debond the solid encapsulants taught by Kurdi et al. as modified by Mandell and Wong '275 using the solvent.

Application/Control Number: 10/611,418 Page 6

Art Unit: 1733

Regarding claim 39, the plurality of sliders used as taught by Kurdi et al. are provided as free from encapsulants and during debonding the sliders are removed/freed from the encapsulant.

In the event the acrylic silicon encapsulant fluid taught by Kurdi et al. is shown to not necessarily be a silicon-based polymer the above rejection applies to claims 22-27, 29, 32, 33, 37, and 39.

6. Claim 35 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kurdi et al., Mandell, and Wong '275 as applied to claims 22-27, 29, 32, 33, 37, and 39 above, and further in view of Joffre et al. (U.S. Patent 5,840,800) and Wong '562 (U.S. Patent 4,564,562).

Kurdi et al., Mandell, and Wong '275 as applied above teach all of the limitations in claim 35 except for a specific teaching of using a polymeric catalyst containing pendant aminofunctionalities with the encapsulant, it being noted Wong '275 is not limited to any particular catalyst and suggests a platinum catalyst (Column 2, lines 58-68). It is well taken in the art of silicone-based encapsulants that metallic and amino based encapsulants are functionally equivalent as shown by Joffre et al. (Column 21, lines 16-21). Absent any unexpected results, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use as the catalyst in Kurdi et al. as modified by Mandell and Wong '275 an amino based catalyst which was well taken as functionally equivalent to metallic catalysts as shown by Joffre et al. As to the amino based catalyst having pendant amino-functionalities, Wong '562 disclose a silicone elastomer encapsulant including a dialkylaminoalkylsiloxane catalyst, which is considered a polymeric catalyst containing pendant amino-functionalities, which is used as the catalyst because it reduces the curing temperature of the encapsulant (Column 1, lines 34-41 and Column 2, lines 28-31). It would have been obvious to one of ordinary skill in the art at the time the

Application/Control Number: 10/611,418

Art Unit: 1733

invention was made to use as the amino based catalyst taught by Kurdi et al. as modified by Mandell, Wong '275, and Joffre et al. the polymeric catalyst containing pendant aminofunctionalities taught by Wong '562 which reduces the curing temperature of the encapsulant.

## Response to Arguments

7. Applicant's arguments filed 8/2/07 have been fully considered but they are not persuasive.

Applicants argue, "Accordingly, the acrylate fluid used in Kurdi does not form a readily debondable solid encapsulant, but rather, forms an encapsulating material that is only removed "with great difficulty and often leave significant material residue on the slider surfaces.".

Kurdi et al. teach the use of an acrylic silicon-based encapsulant for a plurality of sliders which may be later solvent swelled for example with NMP for separation of the sliders, i.e. debonding the sliders, such that the encapsulant is considered readily debondable. It is noted applicants arguments that the encapsulating material is only removed "with great difficulty and often leave significant material residue on the slider surfaces" is in reference to cured epoxy materials and more specifically pure thermosetting epoxy resins and not the acrylic and/or acrylic silicon-based encapsulant disclosed by Kurdi et al. Furthermore, the silicon-based encapsulant taught by Kurdi et al. as modified by Mandell and Wong '275 is consistent and in agreement with that claimed and described by applicants specification as a readily debondable encapsulant.

Art Unit: 1733

#### Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **John L. Goff** whose telephone number is **(571) 272-1216**. The examiner can normally be reached on M-F (7:15 AM - 3:45 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

John L. Goff Primary Examiner

Art Unit 1791